Motion Perception II Chapter 8



Lecture 14

Jonathan Pillow Sensation & Perception (PSY 345 / NEU 325) Spring 2019 **Eye movements:** also give rise to retinal motion.

• important to distinguish motion due to eye movements from motion due to moving objects!

two scenarios with same retinal motion





time I time 2

eye moves

object moves

Eye Movements

- Smooth pursuit eyes smoothly follow a moving target
- **Saccade** rapid movement of the eyes that changes fixation from one location to another
- Vergence two eyes move in opposite directions, as when both eyes turn towards the nose
- **Reflexive** automatic / involuntary (e.g., vestibular-ocular-reflex)

Smooth pursuit vs. saccadic eye movements

in-class experiment

Partner up!

I) Moves her finger from left to right, following it with with her eyes

or

2) Attempts to move her eyes from left to right in the scene, as smoothly as possible, but without tracking a moving object.

How to discriminate motion from eye movements vs. object movement?

Comparator: compensates for retinal motion due to eye movement

- receives a copy of the order issued by the motor system to the eyes
- subtracts the expected motion from the retinal motion

object motion = retinal motion - eye motion



Saccadic suppression - reduction of visual sensitivity during a saccade

Test it out yourself:

- In a mirror, and look from one eye to the other.
- You will never see yours eyes moving

(But you will see the motion if you watch a friend.)

Motion Illusions:

- **Illusory motion:** Even static images can give you a percept of motion
- Still not understood, but believed to involve stimulation of Magnocellular pathway during eye movements





Motion Illusions:

• wagon wheel illusion - wheels in movies appear to spin backwards due to the multiple solutions to the correspondence problem ('aliasing').

http://www.michaelbach.de/ot/mot_wagonWheel/index.html



- spinning wheel
- apparent motion
- sampled at: 24 frames /sec

Motion binding

• how do local motions get combined to form a percept of global motion?



http://www.michaelbach.de/ot/mot_motionBinding/index.html

Local vs. Global Motion

• how do local motions get combined to form a percept of global motion?



Motion Illusions:

motion induced blindness



- no known explanation (as yet)
- theory: related to brain's ability to "fill in" defects in the visual field (like the blind spot).

New & Scholl (2008)

http://www.michaelbach.de/ot/mot-mib/index.html

Summary of concepts:

- apparent vs. real motion
- aperture problem
- correspondence problem
- Reichardt detector
- motion = "orientation in space-time"
- motion processing pathway (area MT)
- motion after-effect ("waterfall illusion")
- inter-ocular transfer
- optic flow
- biological motion
- eye movements (saccades, smooth pursuit, vergence, reflex)
- saccadic suppression ("blindness" during saccades)
- comparator compensating for eye movements
- illusory motion
- motion binding
- local vs. global motion

Intro to Audition & Hearing



Chapter 9

Part 1: The Physics of Sound

What is sound?

- collisions, created when objects vibrate
- in a gas (air), it is changes in pressure (compression and rarefaction)



These collisions travel as *sine waves of pressure*.



Snapshot of the pressure at time 4

Figure 9.1 The pattern of pressure fluctuations of a sound stays the same as the sound wave moves away from the source, but the amount of pressure change decreases with distance



What Is Sound?

Sound waves travel at a particular speed

- Depends on the medium
- through air: 340 meters/second
- through water: 1500 meters/second
- (vs. 3,000,000 m/s for light!)

Physical qualities of sound waves:

- **Frequency**: the number of times per second that a pattern of pressure repeats
 - related to **pitch** psychological quality of how "high" or "low" a sound is.
- Amplitude: the magnitude of displacement of a sound pressure waves
 - related to **loudness** the perceived intensity of a sound

Psychological properties of sound

Units for measuring frequency:

• Hertz (Hz): A unit of measure for frequency. One Hz equals one cycle per second

Perceivable Frequencies:



Units for measuring loudness:

Decibel (dB): unit for the physical intensity of sound

- the ratio of sound pressure level (SPL) of a sound to that of a "barely detectable" sound.
 - •0 dB = threshold of hearing (by definition)
 - each increment of 20dB represents an increase in SPL by a factor of 10:1
 - thus, +40 dB means SPL increases by 100

Psychological qualities of sound waves:

• Loudness: The psychological aspect of sound related to perceived intensity or magnitude

Q: One sound is 50 dB, while another is 110 dB. How much greater SPL is the second?

150 Human hearing uses a limited Pain threshold range of frequencies (Hz) 130 and sound pressure levels "High risk" threshold (dB)110 Sound pressure level (dB SPL) Audible range 90 Music 70 Speech Loudness is 50 measured by Sound Pressure Level (SPL), 30 which has units of decibels (dB) 10 0 -10

20

0

200

2000

Frequency (Hz)

20,000



Wikipedia: "Loudest band in the world"

The heavy metal band <u>Manowar</u> is one claimant of the title of "loudest band in the world", citing a measurement of 129.5 <u>dB</u> in 1994 in <u>Hanover</u>. However, <u>Guinness Book of World Records</u> listed Manowar as the record holder for the *loudest musical performance* for an earlier performance in 1984. Guinness does not recognize Manowar's later claim, because it no longer includes a category of loudest band, reportedly because it does not want to encourage <u>hearing damage</u>.

Sine wave: one of the simplest kinds of sounds: sound for which pressure as a function of time is a sine function

- **Period**: The time required for one cycle of a repeating waveform (frequency = 1 / period)
- Phase: The relative position of two or more sine waves
 - There are 360 degrees of phase across one period



But: sine waves are a very unnatural kind of sound

 complex natural sounds can be broken down into a sum of sine waves Complex sounds can be described by Fourier analysis

• Fourier analysis: mathematical theory by which any sound can be divided into a sum of sine waves

example: generating a square wave from a sum of sine waves

